,				UTAH	OIL AND GAS	CONSERV	ATION C	OMMISSION		· č.	
REMARKS:	WELL LOG		ELECTRIC LOGS	FILE	X WATER SA	ANDS	LOCATI	ON INSPECTED	OIL	SUB. REPORT/abd.	
* A	pplicat	ion r	rescinded	- Wel	l never	dril	led-	1-28-	83		
					·						
DATE FILED	3-29-	-82									
LAND: FEE & F			E LEASE NO. MT 2	2062		PUBLIC L	EASE NO.	*	··· .	INDIAN	
DRILLING APP	ROVED: 4	5 -82									
SPUDDED IN:		- 							·		
COMPLETED:			PUT TO PROD	DUCING:							
INITIAL PRODU	JCTION:								•		
GRAVITY A.P.I.											
GOR:											
PRODUCING Z	ONES:						•				
TOTAL DEPTH	l:						· · ·				
WELL ELEVATI	ON:	253	1.GK								
DATE ABANDO	- T-1	1-	28-83			· .					
FIELD: WI	LDCAT	3/86									
UNIT: 8	and	Rich	26 T		···						
	INTAH		-								
WELL NO.	N.G.C.	STATE	#23-16				AP	I NO. 4:	3-047-3	31194	
LOCATION	1585		FT. FROM (S) LINE,		1522	FT. FR	OM (E) (W)	LINE.	NE S	SW , 1/4 – 1/4 SEC.	16
TWP.	RGE.	SEC.	OPERATOR				TWP.	RGE.	SEC.	OPERATOR	
							8S	23E	16	NATURAL GAS COR	Ρ.

NATURAL GAS CORPORATION OF CALIFORNIA

85 South 200 East Vernal, Utah 84078 (801) 789-4573 March 29, 1982

Division of Oil, Gas & Mining 4241 State Office Building Salt Lake City, UT 84114

Mr. E. W. Guynn Minerals Management Service 2000 Administration Bldg. 1745 West 1700 South Salt Lake City, UT 84104



DIVISION OF OIL, GAS & MINING

Re: NGC #23-16 State

Section 16, T.8S., R.23E.

Uintah County, Utah Sand Ridge II Unit

Gentlemen:

Natural Gas Corporation of California proposes to drill the captioned well in Uintah County, Utah.

Enclosed are the following documents:

(1) Application for Permit to Drill

(2) Surveyor's Plat

(3) BOP and Pressure Containment Data

Should you require additional information, please contact this office.

Sincerely,

Rick Canterbury Associate Engineer

/kh


Encls.

cc: Operations

C. T. Clark E. R. Henry 1a. Type of Work

b. Type of Well

DRILL X



PLUG BACK [

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL & GAS

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

DEEPEN [

5. Lease Designation and Serial No.

7. Unit Agreement Name


Sand Ridge II

6. If Indian, Allottee or Tribe Name

ML 22062

Oil X G	das Other		Single Zone	Multiple D	8. Farm or Lease Na - State	me
	Corporation of		9. Well No.			
3. Address of Operator NGC 23-16 State						
85 South 200	10. Field and Pool, or					
4. Location of Well (Ren At surface	Wilder	<u> </u>				
1522' FWL and	d 1585' FSL, Se	11. Sec., T., R., M., o and Survey or Ar	or Blk. ea			
At proposed prod. zone	" NESW		Section 16	T.8S., R.23E		
14. Distance in miles and	l direction from nearest t	own or post office*			12. County or Parrish	
		cheast of Vernal	HT			
15. Distance from propos			No. of acres in lease		Uintah of acres assigned	<u>Utah</u>
location to nearest property or lease line (Also to nearest drlg.	line, if any)		640		640	
18. Distance from propos to nearest well, drilli	ng, completed.	19. I	Proposed depth	20. Rotar	ry or cable tools	
or applied for, on this 21. Elevations (Show whe	=		9200		Rotary	
5253' Un. Gr					22. Approx. date wo	rk will start*
23. 43-047-3	1194	PROPOSED CASING AN	D CEMENTING PROC	GRAM		
Size of Hole	Size of Casing	Weight per Foot	Setting Depth	· · · · · · · · · · · · · · · · · · ·	Quantity of Ceme	nt
17-1/2"	13-3/8"	54.5#, K-55	80'		To surface	
12-1/4"	9-5/8"	36# , K-55	2500'			d to protect
7 7 (0)					oil shale.	
7-7/8"	5-1/2"	17#, N-80	T.D.		•	d to protect
					producing	intervals.
			•			
					,	
					D BY THE S	
					H DIVISION	
				DIL, GAS	B, AND MINI	NG
			DA	TE: _5	12/22	
				. li	al water	
	•		BY		RI PARAGE	
					· ·	
IN ABOVE SPACE DES ductive zone. If proposal preventer program, if any	l is to drill or deepen dir	GRAM: If proposal is to dectionally, give pertinent da	eepen or plug back, g ta on subsurface locat	ive data on pres tions and measu	sent productive zone and red and true vertical de	proposed new pro- pths. Give blowout
24.	O , i					•
Si Kiele	Canter bus	До	sociate Engi	naar	27	20/02
Rick Car	iterbury	Title	Sociate Ligi	neer		29/82
(This space for Federa	al or State office use)					
Permit No			Approval Date			
Approved by		Title			D., 4.	
Conditions of approva		Title			Date	
cc: Div. OG8	M: Minerals Ma	nagement Service	: Operations	· r т г	ark. F.D. Hon	0\/
	. ,		., 0001 4010113	, 0.1. 01	ark, E.N. Hell	У

T85, R23E, S.L.B.&M.



X = Section Corners Located

PROJECT

NATURAL GAS CORP. OF CALIF.

Well location, SAND RIDGE II UNIT WELL # 23-16, located as shown in the NE 1/4 SW 1/4, Section 16, T8S, R23E, S.L.B.&M. Uintah County, Utah.



THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF

REGISTERED LAND SURVEYOR REGISTRATION № 3137

UINTAH ENGINEERING & LAND SURVEYING POBOX Q - 85 SOUTH - 200 EAST VERNAL, UTAH - 84078


WEATHER	WARM	·	FILE	N.G.C.
PARTY	RK, BK,	JH	REFERENCES	GLO PLAT
SCALE	1" = 1000'		DATE	3/24/82

NATURAL GAS CORPORATION OF


CALIFORNIA


BOP AND PRESSURE CONTAINMENT DATA


NGC #23-16 State Section 16, T.8S., R.23E. Uintah County, Utah Sand Ridge II Unit



- BOP equip shall consist of a double gate, hydraulically operated preventer with pipe & blind rams or two single ram type preventers, one equipped w/pipe rams, the other w/blind rams.
- BOP's are to be well braced w/ hand controls extended clear of substructure.
- 3. Accumulator to provide closing pressure in excess of that required w/sufficient volume to operate all components.
- Auxiliary equipment: Lower kelly cock, full opening stabbing valve, 2½" choke manifold, pit level indicator &/or flow sensors w/alarms.
- 5. All BOP equipment, auxiliary equipment stand pipe & valves & rotary hose to be tested to the rate pressure of the BOP's at time of installation & every 30 days thereafter. BOP's to be mechanically checked daily.
- Modification of hook-up or testing procedure must be approved in writing on tour reports by wellsite representative.







** FILE NOTATIONS **

DATE: 4-1-82	
OPERATOR: natural Ban co	4. of calib.
WELL NO: NGC St. #23-16	
Location: Sec. 110 T. 3	S R. 238 County: Wintah
File Prepared:	Entered on N.I.D:
Card Indexed:	Completion Sheet:
API Numb	er <u>43-047-31194</u>
CHECKED BY:	
Petroleum Engineer:	
Director: UN OK	
Administrative Aide: Kung	t well
APPROVAL LETTER:	
Bond Required:	Survey Plat Required:
Order No.	0.K. Rule C-3
Rule C-3(c), Topographic Exce within a 660' ro	eption - company owns or controls acreage dies of proposed site
Lease Designation (#.	Plotted on Map
Approval	Letter Written
Hot Line V P.I.	

April 5, 1982

Natural Gas Copporation of California 85 South 200 East Vernal, Utah 84078

RE: Well No. NGC 23-16 State Sec. 16, T. 8 S, R. 23 E Uintah County, Utah

Insofar as this office is concerned, approval to drill the above referred to oil well is hereby granted in accordance with Section 40-6-11, Utah Code Annotated 1953; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure.

Should you determine that it will be necessary to plug and abandon this well, you are hereby requested to <u>immediately</u> notify the following:

CLEON B. FEIGHT - Director

Office: 533-5771 Home: 466-4455

Enclosed please find Form OGC-8-X, which is to be completed whether or not water sands (acquifers) are encountered during drilling. Your cooperation in completing this form will be appreciated.

Further, it is requested that this Division be notified within 24 hours after drilling operations commence, and that the drilling contractor and rig number be identified.

The API number assigned to this well is 43-047-31194.

Sincerely,

DIVISION OF OIL, GAS AND MINING

Clean B Sugar

Cleon B. Feight

Director

CBF/as Enc1.

cc: State Lands

Oil and Gas Operations 2000 Administration Building 1745 West 1700 South Salt Lake City, Utah 84104

January 20, 1983

Natural Gas Corporation of California 85 South 200 East Vernal, Utah 84078

Re: Rescind Applications for Permit to Drill
Well No. 23-16
Section 16, T.8S., R.23E.

✓Well No. 43-8
Section 8, T.9S., R.24E.
Devil's Playground Unit
Lease U-0145459

Well No. 41-7
Section 7, T.10S., R.24E.
Devil's Playground Unit
Lease U-0150130
All in Uintah County, Utah

Gentlemen:

The Applications for Permit to Drill the referenced wells were approved April 27, 1982, and June 10, 1982 respectively. We are rescinding the approvals per your letter dated January 11, 1983. If you intend to drill at the locations at a future date, new applications for permit to drill must be submitted.

This office requires a letter confirming that no surface disturbance has been made for these drill sites. Any surface disturbance associated with the approved location of the wells will be rehabilitated. A schedule for this rehabilitation must then be submitted to this office. Your cooperation in this matter is appreciated.

Sincerely,

(ORIG. SGD.) W. P. MARTENS Drilling Unit Supervisor

District Oil and Gas Supervisor

bcc: SMA

State O&G State BLM
Vernal
Well Files
APD Control

STATE OF UTAH
NATURAL RESOUPCES & ENERGY
Oil, Gas & Mining

Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Cleon B. Feight, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

January 28, 1983

Natural Gas Corporation of California 85 South 200 East Vernal, Utah 84078

RE: Well No. 23-16

Sec. 16, T.8S, R.23E

Well No. 43-8

Sec. 8, T.9S, R.24E

Well No. 41-7

Sec. 7, T.10S, R.24E Uintah County, Utah

Gentlemen:

Approval of Application for Permit to Drill the above referenced wells are rescinded without prejudice as of the above date in concert with action taken by Minerals Management Service.

If you intend to drill these locations at a future date, new applications for permit to drill may be submitted for State approval.

Sincerely,

Norm Stout

Administrative Assistant

NS/as